

### **CENTURY OAK 5**

DURAS™





## **CENTURY OAK 5**



	US Units	Metric Units
Style Number	HW695	
Construction	DURAS™	
Species	Red Oak	
Nominal Overall Thickness	1/2"	11.81 mm
Nominal Width	4.94"	125.48 mm
Maximum Length	Random lengths up to 58.56"	Random lengths up to 148.74 cm
Finish	Repel - Water Resist	
Gloss Level	20%	
Surface Texture	Smooth	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
SQFT per Carton	19.72 sq ft	1.83 sq m
SQFT per Pallet	1025.44 sq ft	95.26 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	All Levels Of The Home	
Variation	High	
Environmental	Cradle-to-Cradle Certified	
	GREENGUARD® Certified	
Radiant Heat Approved	Yes	
Commercial Warranty	5 Year Commercial	
Builder Warranty	Splash-Proof 50 Year	
All measurements are nominal.	Cartons may include random lengths.	

#### **Features**

Timeless oak visuals in classic colors, Century Oak gives a traditional look to any space.





# **CENTURY OAK 5**



### Colors



