



1074 Limestone

	US Units	Metric Units
Style Number	SW705	
Construction	Engineered	
Species	White Oak	
Nominal Overall Thickness	3/8"	8.2 mm
Nominal Width	6.38"	162.05 mm
Finish	Repel - Water Resist	
Gloss Level	20%	
Surface Texture	Smooth	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
Weight per Carton	47 lbs	21.31 kg
SQFT per Carton	30.48 sq ft	2.83 sq m
SQFT per Pallet	1371.6 sq ft	127.42 sq m
Installation Methods	Nail Down, Floating, Staple, Glue	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
Commercial Warranty	5 Years	
All measurements are nominal.	Cartons may include random lengths.	

Features

With a smooth texture and microbevel edge profile, Villa let's the natural beauty of white oak shine through.

Suggested Adhesive

Style Name	Style Number
35MC	119BA
Urebond Plus	HWADH

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SFR18
Flush Reducer



SR018
*Overlap Reducer



SFS18
Flush Stairnose



SSO18
*Overlap Stairnose



SCR18
Threshold / Carpet Reducer



SWTM8
T-Molding



SQTR8
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.




MADE IN THE USA

Colors




1069 Quartz




1074 Limestone




2046 Sand



5078 Pebble



7051 Shale



7061 Basalt